




Please specify location of spotlights on system configuration drawing

Project _____
Type _____
Notes _____




* See page 4 for more information.


Bottom views




SQ - Square



RE - Rectangular



TR60 - Triangle 60°



TR90 - Triangle 90°

Ordering Guide

SFSZ		Panel ID (Color)										HARDWARE FINISH (!)	
PRODUCT ID		PANEL ID		SOFTZONE PANEL COLOR									
				STANDARD PALETTE*			EXTENDED CUSTOM PALETTE **						
SFSZ	StencilFlex® Softzone Panels	Square	+SQ33	3'x3' square	COT	cotton		CUSFRO	frost		BLK black W white AP aluminum paint* C(#) custom*		
		Rectangular	+RE34	3'x4' rectangular	TIN	tin		CUSDEN	denim				
			+RE35	3'x5' rectangular	CON	concrete		CUSNAV	navy				
			+RE36	3'x6' rectangular	SLA	slate		CUSPEB	pebble				
			+RE37	3'x7' rectangular	CAR	carbon		CUSSMO	smoke				
			+RE375	3'x7.5' rectangular	SAN	sand		CUSAPP	apple green				
			+RE38	3'x8' rectangular	COR	cork		CUSOLI	olive				
		Triangle	+TR603	3' triangle- 60° only	COP	copper		CUSEME	emerald				
			+TR604	4' triangle- 60° only	BAR	bark		CUSANC	anchor				
			+TR903	3' triangle- 90° only	EAR	earth		CUSSHA	shadow				
			+TR904	4' triangle- 90° only	PUR	purple		CUSWHE	wheat				
					OCE	ocean		CUSSAC	sand castle				
					LEM	lemon		CUSLEA	leather				
					LIM	lime		CUSPER	peru				
					BRI	brick		CUSMOS	moss				
						CUSMAR	marble						
					CUSMOC	moccasin							
					CUSGIN	ginger ale							
					CUSASP	asphalt							
					CUSFOS	fossil							
					CUSCRI	crimson							
					CUSMAN	maroon							
					CUSFIR	fire brick							
					CUSIND	indigo							
					CUSBUR	burnt orange							
* Matching framework finishes available. See page 3 for details. Use StencilFlex® Framework (SFF) spec sheet to order.										! Please ensure that your hardware finish matches your framework finish selection (see Framework (SFF) spec sheet).			
** Extended custom color palette panels available per request. Consult factory for details. See page 3 for more details.										* You can match framework finish to Standard Palette Softzone panels, see page 3 for recommended color codes.			

* Matching framework finishes available. See page 3 for details. Use [StencilFlex® Framework \(SFF\) spec sheet](#) to order.


** Extended custom color palette panels available per request. Consult factory for details. See page 3 for more details.

! Please ensure that your hardware finish matches your framework finish selection (see [Framework \(SFF\) spec sheet](#)).
* You can match framework finish to Standard Palette Softzone panels, see page 3 for recommended color codes.

Patent number: 11,118,765

Product design and development is an ongoing process at Axis Lighting. We reserve the right to change specifications. Contact Axis for the latest product information.

SPECIFICATION EXAMPLE














Follow ordering guide to specify

EXAMPLE CODE

FRAMEWORK: SFF-L(40)-L90(4)+T90(4)-BLK-120-IMW-1-CA(36)-RC
INDIRECT INSERT: SFLISL-5-500-80-35-120-DP-BLK
OTHER INSERTS: ...
TRACK DECORATIVES: ...
SOFTZONE PANELS: SFSZ-TR904-BRI-BLK









SOFTZONE PANEL COLOR PALETTE

WITH MATCHING HOUSING COLORS

				
C(RAL9003) Matte	C(RAL7047) Glossy	C(RAL7042) Matte	C(RAL7043) Matte	C(RAL9005) Matte
				
C(HS512H1107 1872-L)	C(RAL1011) Glossy	C(RAL8001) Glossy	C(RAL8003) Glossy	C(RAL7006) Glossy
				
C(RAL4005) Glossy	C(RAL5023) Glossy	C(RAL1023) Matte	C(PMS369C/ KD1139 -u/ PS541G868)	C(RAL4002) Glossy

EXTENDED SOFTZONE PANEL COLOR PALETTE

Available per request. Consult factory for details.

				
Apple Green (CUSAPP)	Olive (CUSOLI)	Emerald (CUSEME)	Anchor (CUSANC)	Shadow (CUSSHA)
				
Marble (CUSMAR)	Moccasin (CUSMOC)	Ginger Ale (CUSGIN)	Asphalt (CUSASP)	Fossil (CUSFOS)
				

Patent number: 11,118,765

Product design and development is an ongoing process at Axis Lighting. We reserve the right to change specifications. Contact Axis for the latest product information.

3 / 5


October 27, 2023

FILE NAME: Stencil-Flex-SFSZ.SPEC

© 2016 Axis Lighting Inc.
1.800.263.2947
[T] 514.948.6272


axis
axislighting.com

SOFTZONE PANEL SHAPE & LUMINAIRE SEGMENT LENGTH




Square

3' x 3'




Rectangle

3' x 8' 3' x 6'
3' x 7.5' 3' x 5'
3' x 7 3' x 4'



Triangle 90°


3' and 4' section lengths





Triangle 60°

3' and 4' section lengths

SOFTZONE PANEL SHAPE & LUMINAIRE SEGMENT LENGTH



OPEN SHAPE EXAMPLE



4' SoftZone™ triangular 90° panels

CONSTRUCTION

Structure	Extruded aluminum
Panel	100% polyester containing at least 40% of recycled PET plastic

CLEANING PROTOCOL



NOTE: Easy to clean. Made from polyester fill with natural anti-microbial properties.

-  Periodic dusting with vacuum or dry cloth recommended.
-  For stain removal, use a small amount of soap or detergent on a wet cloth.
-  For added disinfection, use bleach solution (5 tablespoons per Gallon of water), spray onto surface and gently wipe to spread all over.

SOFTZONE® WARRANTY

All SoftZone® Acoustic panels are guaranteed for 1 year (warranty period) from date of shipment from our factory. Defective products will be repaired or replaced at the discretion of Axis Lighting provided a written claim is made within the warranty period.

Exclusions of SoftZone® Warranty:

- Normal wear and tear (scratches, direct sunlight, etc.).
- Products that have been modified, improperly installed, used in conditions or for purposes other than which they were intended.

APPROVALS

Certified to cULus standards.



FIRE SAFETY: Class A Fire Rated as per ASTM E84.
Flame Spread Index: 5
Smoke Development Index: 110