


**\* Please see page 2 for example on how to specify various right angle patterns.**

Project \_\_\_\_\_


Type \_\_\_\_\_

Notes \_\_\_\_\_



TB3WDLEDPAT	R (11'X8')
PRODUCT ID	PATTERNS AND LENGTH

TOP VIEW - Rectangle Corner Pattern



TB3WDLEDPAT	U (9'X11'X11')
PRODUCT ID	PATTERNS AND LENGTH

TOP VIEW - Open Shape Corner Pattern

**IMPORTANT! – all corner patterns must be submitted with drawings indicating dimensions and angles degree.**

Refer to [axislighting.com](http://axislighting.com) for complete fixture details, IES files, and installation instructions



### Ordering Guide

TB3WDLEDPAT											
PRODUCT ID		PATTERNS AND LENGTH (SELECT ONE)		LUMENS/FT		CRI		COLOUR TEMP.		SHIELDING DIRECT	
TB3WDLEDPAT	Beam 3 Wall Direct	S(L)	square shape (length)	300	300 lm/ft - min	80	80 CRI	35	3500 K	SO	spotless lens
		R(LxL)	rectangular shape (length)	1000	1000 lm/ft - max for GZ, NW, ASO.*			30	3000 K	ASO	asymmetric
		U(LxLxL)	U shape (length)					40	4000 K	NW	narrow
		L(LxL)	L shape (length)	1100	1100 lm/ft - max					GZ	graze
		Comes in 90 degree only.		Outputs between listed min and max are available. * 1000 lm/ft max. only for GZ, NW and ASO.							


SPECIFY LENGTH		FINISH		VOLTAGE		DRIVER		CIRCUITS		BATTERY (OPT.)
NL	nominal	W	white	120	120V	DP	dimming (0-10V) 1%	1	1 circuit	B( # ) battery pack 4' sections
EX	exact	BLK	black*	277	277V			2	2 circuits	
		AP	aluminum paint*	347	347V			+E( # )	emergency circuit*	
				UNV	universal					
		*Additional 5 working days required.						*Specify quantity		Requires 120V or 277V Please consult factory

**Refer to specification sheets for complete details. Note that only options shown above qualify for QuickShip+.**


## How to Specify 90 degree Corners and Patterns

### Example

#### Defining R - Rectangular shape




#### Defining L shape




**Note:** The first number will always define the width, the second - the length.

#### Defining U shape



**Note:** The first number will always define the right arm length, the second - the width, and the third - the left arm length.

#### Defining S - Square shape



**Note:** The number will define the width. (All sides are the same length).

**IMPORTANT – all corner patterns must be submitted with drawings indicating dimensions and angles degree.**

