


**\* Please see page 2 for example on how to specify various right angle patterns.**

Project \_\_\_\_\_


Type \_\_\_\_\_

Notes \_\_\_\_\_



TB2WDLEDPAT	R (11'X8')
PRODUCT ID	PATTERNS AND LENGTH

TOP VIEW - Rectangle Corner Pattern



TB2WDLEDPAT	U (9'X11'X11')
PRODUCT ID	PATTERNS AND LENGTH

TOP VIEW - Open Shape Corner Pattern

**IMPORTANT! – all corner patterns must be submitted with drawings indicating dimensions and angles degree.**

Refer to [axislighting.com](http://axislighting.com) for complete fixture details, IES files, and installation instructions



### Ordering Guide

TB2WDLEDPAT											
PRODUCT ID		PATTERNS AND LENGTH (SELECT ONE)		LUMENS/FT		CRI		COLOUR TEMP.		SHIELDING DIRECT	
TB2WDLEDPAT	Beam 2 Wall Direct	S(L)* square shape (length)	300	300 lm/ft - min	80	80 CRI	35	3500 K	SO	spotless lens	
		R(LxL)* rectangular shape (length)	750	750 lm/ft - max for			30	3000 K	ASO	asymmetric, flush only	
		U(LxLxL)* U shape (length)		GZ, NW, ASO*			40	4000 K	NW	narrow, flush only	
		L(LxL)* L shape (length)	1000	1000 lm/ft - max					GZ	graze, flush only	
		*Comes in 90 degree only.		Outputs between listed min and max are available. * 750 lm/ft max. only for GZ, NW and ASO.							


SPECIFY LENGTH		FINISH		VOLTAGE		DRIVER		CIRCUITS		BATTERY (OPT.)	
NL	nominal	W	white	120	120V	DP	dimming (0-10V) 1%	1	1 circuit	B(#)	battery pack
EX	exact	BLK	black*	277	277V			2	2 circuits		4' sections
		AP	aluminum paint*	347	347V			+E(#)	emergency circuit*		
				UNV	universal						
		*Additional 5 working days required.						*Specify quantity		Requires 120V or 277V Please consult factory	

**Refer to specification sheets for complete details. Note that only options shown above qualify for QuickShip+.**


## How to Specify 90 degree Corners and Patterns

### Example

#### Defining R - Rectangular shape




#### Defining L shape




**Note:** The first number will always define the width, the second - the length.

#### Defining U shape



**Note:** The first number will always define the right arm length, the second - the width, and the third - the left arm length.

#### Defining S - Square shape



**Note:** The number will define the width. (All sides are the same length).



A large grid of squares, intended for drawing corner patterns. The grid is composed of 30 columns and 30 rows of squares, providing a space for technical drawings.