


*** Please see page 2 for example on how to specify various right angle patterns.**

Project _____


Type _____

Notes _____



SCSPAT	R (11'X8')
PRODUCT ID	PATTERNS AND LENGTH

TOP VIEW - Rectangle Corner Pattern



SCSPAT	U (11'X9'X11')
PRODUCT ID	PATTERNS AND LENGTH

TOP VIEW - Open Shape Corner Pattern

IMPORTANT! – all corner patterns must be submitted with drawings indicating dimensions and angles degree.

Refer to axislighting.com for complete fixture details, IES files, and installation instructions



Ordering Guide

SCSPAT		PATTERNS AND LENGTH (SELECT ONE)	LUMENS/FT		CRI		COLOUR TEMP.		SHIELDING DIRECT		SPECIFY LENGTH	
PRODUCT ID												
SCSPAT	Sculpt Surface Patterns	S(L) square shape (length) R(LxL) rectangular shape (length) U(LxLxL) U shape (length) L(LxL) L shape (length)	300	300 lm/ft - Min.	80	80 CRI	30	3000 K	FL	flush	NL	nominal
			1000	1000 lm/ft - Max.			35	3500 K	RG	0.5" regressed	EX	exact
							40	4000 K	ASO	Asymmetric		
Comes in 90 degree only.			Outputs between listed min and max are available.						Lens options use spotless lens			


FINISH		VOLTAGE		DRIVER		CIRCUITS		MOUNTING		BATTERY (OPT.)	
W	white	120	120V	DP	dimming (0-10V) 1%	1	1 circuit	S	surface drywall ceiling	B(#)	battery pack 4' sections
BLK	black*	277	277V			2	2 circuits	SB	surface t-bar ceiling		
AP	aluminum paint*	347	347V			+E(#)	emergency circuit*	SC	surface solid ceiling		
		UNV	universal								
*Additional 5 working days required.				*Specify quantity				Requires 120V or 277V Please consult factory			

Refer to specification sheets for complete details. Note that only options shown above qualify for QuickShip+.


How to Specify 90 degree Corners and Patterns

Example

Defining R - Rectangular shape




Defining L shape




Note: The first number will always define the width, the second - the length.

Defining U shape



Note: The first number will always define the right arm length, the second - the width, and the third - the left arm length.

Defining S - Square shape



Note: The number will define the width. (All sides are the same length).

IMPORTANT – all corner patterns must be submitted with drawings indicating dimensions and angles degree.



A large grid of squares, intended for drawing corner patterns. The grid is composed of 30 columns and 30 rows of squares, providing a space for technical drawings.