


*** Please see page 2 for example on how to specify various right angle patterns.**

Project _____


Type _____

Notes _____



SCWDPAT	R (11'X8')
PRODUCT ID	PATTERNS AND LENGTH

TOP VIEW - Rectangle Corner Pattern



SCWDPAT	U (11'X9'X11')
PRODUCT ID	PATTERNS AND LENGTH

TOP VIEW - Open Shape Corner Pattern

IMPORTANT! – all corner patterns must be submitted with drawings indicating dimensions and angles degree.

Refer to axislighting.com for complete fixture details, IES files, and installation instructions



Ordering Guide

SCWDPAT										
PRODUCT ID		PATTERNS AND LENGTH (SELECT ONE)	LUMENS/FT		CRI		COLOUR TEMP.		SHIELDING DIRECT	
SCWDPAT	Sculpt Wall Direct Patterns	<div>S(L) square shape (length)</div> <div>R(LxL) rectangular shape (length)</div> <div>U(LxLxL) U shape (length)</div> <div>L(LxL) L shape (length)</div>	300	300 lm/ft - Min	80	80 CRI	35	3500 K	FL	flush
			1000	1000 lm/ft - Max			30	3000 K	RG	0.5" regressed
							40	4000 K	ASO	Asymmetric
		Comes in 90 degree only.	Outputs between listed min and max are available.						Lens options use spotless lens	


SPECIFY LENGTH		FINISH		VOLTAGE		DRIVER		CIRCUITS		BATTERY (OPT.)	
NL	nominal	W	white	120	120V	DP	dimming (0-10V) 1%	1	1 circuit	B(#)	battery pack
EX	exact	BLK	black*	277	277V			2	2 circuits		
		AP	aluminum paint*	347	347V			+E(#)	emergency circuit*		
				UNV	universal						
		*Additional 5 working days required.						*Specify quantity		Not available with 347V Please consult factory	

Refer to specification sheets for complete details. Note that only options shown above qualify for QuickShip+.


How to Specify 90 degree Corners and Patterns

Example

Defining R - Rectangular shape




Defining L shape




Note: The first number will always define the width, the second - the length.

Defining U shape



Note: The first number will always define the right arm length, the second - the width, and the third - the left arm length.

Defining S - Square shape



Note: The number will define the width. (All sides are the same length).

IMPORTANT – all corner patterns must be submitted with drawings indicating dimensions and angles degree.



A large grid of squares, intended for drawing corner patterns. The grid is composed of 30 columns and 30 rows of squares, providing a space for technical drawings.