


Cl!ck


Install-from-below Zero-plenum LED Luminaire




























Install-from-below Zero-plenum LED Luminaire


As plenum depth shrinks, shallow luminaires like Click are increasingly in demand. With ultra-thin Click, you no longer have to worry about AC ducts and other obstructions in the plenum space. You also benefit from a patent-pending hassle-free installation system.

The product of an exclusive Axis-Armstrong® innovation partnership, Click is the first true install-from-below shallow luminaire, compatible with closed grids, drywall ceilings and Armstrong on-center ceiling systems.

The future of shallow luminaire design


Install from above

Added plenum space required




Partly install from below

Access from above required



Truly install from below




Without



Click. Truly install from below

Compatible with all narrow T-grid systems



Click clicks into place

Easy installation and maintenance

Tethering



Luminaire is securely hung to the T-bar to facilitate installation. No additional safety tethering required.

Wiring



Hinged, flip-down wiring compartment with full driver and wiring access.

3 Joining



Simple fixture-to-fixture mechanical, electrical and control connections. Features the patent-pending InstaJoiner™.

4 Click in place



Full luminaire length clicks into place with patent-pending install-from-below system.

Unique design features

Easy maintenance




Click can be easily removed and maintained from below.

InstaJoiner™



Click features a unique patent-pending joining system developed by Axis. InstaJoiner provides fast, single-screw tightening, creating a solid, light-leak-free joint.

Dual lens lightguide technology




Axis patent-pending optics provides hairline joints and no view of LFD diodes

Armstrong compatibility Drywall compatibility



Compatible with Armstrong acoustical on-center, direct light cove and drywall systems.





Ordered separately. Compatible with Axis or Armstrong drywall kits.


Minimal height. Maximum performance.

Ultra-thin lightguide technology delivers low power density, uniform illumination and visual comfort.

Whether installed in continous or non-continous runs, Click delivers the right amount of light with a consistent finish and symmetric center-of-T design esthetic.







Avg light levels: 31 fc Max/Min: 1.93 Power Density: 0.34 W/ft² Room size: 32' x 18' x 8.5'




A winning combination

Cl!ck & Armstrong®



Interlude®





Silhouette®





9/16" Suprafine®





4" Tech7one®




Also compatible with:

Armstrong Drywall Linear Lighting Trim Kits



DGSLLTK

Armstrong Axiom Direct Light Coves



AXDLC44



AXDLC46

Armstrong Lighting Bracket Connector

Armstrong's Zero Plenum Lighting Connector Bracket (LCB4) enables center-of-T esthetic. With full access from below, luminaires can be installed after closing the ceiling.





About Axis Lighting

Founded in 1991 and still family owned and managed, Axis is an important source for architectural lighting across North America and around the globe.

Over the last decade, the company has exhibited remarkable growth thanks to its commitment to Design Flexibility, Optimal Energy Efficiency and Responsive Customer Care. That leadership effort now extends to developing Innovative Lighting Technologies, such as SurroundLite[®], on an ongoing basis.

On the strength of a broad and expanding product line, Axis has successfully completed lighting projects for high-profile clients including Apple, Chrysler, The Empire State Building, Google, Hyundai, Time Warner and McGill University, among many others.

Axis has the drive and the expertise to meet your needs and provide architectural lighting... your way.



We reserve the right to change specifications without notice. Please consult our website for the most current technical information and to locate your nearest Axis representative.

1.800.263.AXIS

[T] 514.948.6272

[F] 514.948.6271

axislighting.com

© 2017 Axis Lighting Inc.